

Background Paper

PFAS (Per- and Poly-fluoroalkyl Substances)

Date: 28.09.2023

Protecting the Health of Current and Future Generations

PFAS or per- and polyfluoroalkyl substances are a large group of complex synthetic chemicals. They were first produced in the 1940/50s and are estimated to include over 10,000 different substances. Of these, 4,700 PFAS are known in chemical structure, and an estimated 1,400 PFAS are currently in commercial use. PFAS are completely man made and are best known for their water-, oil- and grease-repellence and high thermal stability. These qualities make their industrial and manufacturing applications extensive. PFAS can be found in all types of products like packaging, firefighting foams, clothes, cookware, and protective coatings for fabrics or electronics [1, 1a , 2].

PFAS exhibit high existence and extreme persistence in the environment, humans, and all other life forms and are associated with environmental and health impacts [2, 5, 9].

The main human exposure to PFAS is through food, air (dust) and drinking water. Food (especially fish, eggs and fruits) is the main source of exposure to PFASs for humans [2, 3, 5, 6].

PFAS in the Environment

Environmental contamination with PFAS is ubiquitous, as the substances are produced and emitted in large numbers and enter the environment through various pathways. Due to their chemical stability, there are no natural biological or abiotic degradation mechanisms that can lead to the total mineralization (decomposition to mineral form) of PFAS. This means that PFAS can accumulate in the environment and organisms and exist in the air, water or soil for a long time. Furthermore, they are difficult and costly to treat and remove from the environment once they have entered it [2, 5].

Environmental pollution from PFAS is associated with significant adverse effects on ecosystem functions, plants, animals, microorganisms, and humans, especially in locations where PFAS contamination reaches high levels- so called hotspots [2, 3, 5, 9, 10].

The Forever Pollution Project - a collaboration of journalists and media from across Europe - has identified more than 17,000 locations across Europe with relevant PFAS pollution, including 2,000 hotspots with significant PFAS pollution levels. German journalists in the project, from NDR, WDR and SZ, have found more than 1,500 locations with PFAS pollution, including more than 300 hotspots [8].

PFAS and (drinking) water

PFAS have been detected in various aquatic matrices, including rain, snow, groundwater, tap water, oceans, lakes, and rivers. They enter water bodies through a variety of pathways: via effluents from industrial and municipal wastewater treatment plants, by washing off PFAS-contaminated soil, and via the air. Some PFAS are mobile when dissolved in water and can be transported long distances via groundwater.

Groundwater investigations in Germany show high PFAS concentrations at monitoring wells with known PFAS contamination in the catchment area. [2, 3, 5, 6].

Based on the toxicological information available to date on PFAS, and considering the thresholds considered acceptable by the various regulatory agencies, the health risks to normal consumers of municipal/tap water do not appear to be of concern [2, 4, 6].

Drinking water is considered a special or concerning PFAS source if the raw water has been contaminated with PFAS through damaging events. In Germany, only a few such cases are known to date [2, 5].

Wastewater treatment methods available to date, such as activated carbon filters and ion exchange resins, remove PFAS only to a certain extent, are rather suitable for certain types of PFAS, and can be expensive. Other processes are under development but not yet ready for use [2, 5]. As a recent example, researchers at the Fraunhofer Institute for Interfacial Engineering and Biotechnology IGB may have succeeded in developing a process based on the use of plasma that can degrade the molecular chains of PFAS - to the point of complete mineralization of the environmental toxin [7]. PFAS are not isolated to tap water sources, but can be found in bottled water, too. Studies have found that two out of six commercial German brands tested had concentrations of PFAS in the water [6].

PFAS Hotspots in Germany [2]	
<p>Raststatt: Contamination of 700 hectares of arable land and groundwater by spreading PFAS-contaminated paper sludge as fertilizer</p>	<p>https://www.landkreis-rastatt.de/landratsamt/aemteruebersicht/amt-fuer-umwelt-und-gewerbeaufsicht/pfc_pfas</p>
<p>Chemical Park Gendorf: The production of fluoropolymers, PFOA, led to the contamination of soils, groundwater and surface waters.</p>	<p>https://www.lgl.bayern.de/lebensmittel/chemie/kontaminanten/pfas/et_uebersicht_pfoa_aoe.htm</p>
<p>Military Airport Manching: Fire-fighting foams contaminated groundwater and a nearby small stream.</p>	<p>https://www.landkreis-pfaffenhofen.de/umwelt/pfas-belastungen-am-flugplatz-manching/</p>
<p>Hochsauerland: Large-scale contamination caused by the application of a soil additive that illegally contained sewage sludge from the paper industry.</p>	<p>https://www.lanuv.nrw.de/umwelt/gefahrstoffe/pfas/pfas-in-boeden/aufbringungsflaechen</p>
<p>Düsseldorf Airport: Fire-fighting foams contaminated soil and groundwater.</p>	<p>https://www.duesseldorf.de/umweltamt/umwelt-und-verbraucherthemen-von-a-z/aktuell/pft-lohausen-kwerth</p>

PFAS and human health

In the human body, PFAS bind to proteins in the blood, liver and kidneys and can cause a wide range of adverse health effects. These include endocrine effects, carcinogenicity, reproductive toxicity, effects on lipid metabolism and the immune system and thus, among others, the formation of vaccine antibodies.

The magnitude of health effects depends on the circumstances of exposure (extent, duration, route of exposure, etc.) and the factors of the exposed individuals (e.g., age, sex, ethnicity, health status, and genetic predisposition). The slow elimination kinetics, which increases the accumulation of the substance in the body, and the fact that some PFASs are transferred from mother to child during pregnancy and lactation are other critical issues regarding PFAS and human health [2, 5, 9, 11].

Legal Regulation of PFAS

Health guidelines concerning PFAS exposure have become increasingly strict over the years. On top of that there are legal regulations and thresholds to further limit the amount of PFAS in the environment and human exposure. PFOS and PFOA, for example, have been heavily regulated under the Stockholm Convention [5, 12, 13].

At EU level, the revised Drinking Water Directive (2020) set a "new group limit value" of 0.5 µg/L for "PFAS Total" (i.e. the totality PFAS) and the limit value of 0.1 µg/L for the "Sum of PFASs considered a concern" a in drinking water [13, 14].

In the German Drinking Water Ordinance, the regulations from the EU Directive were implemented as follows:

For the sum of 20 PFAS (with a chain length of 4 to 13 carbon atoms), an overall limit value of 0.1 µg/L was set. These limits apply from January 12, 2026.

An overall limit of 0.02 µg/L has been set for the sum of 4 PFAS, which account for approximately 50% of PFAS in human dietary intake and approximately 90% of internal body burden (including PFOA and PFOS). The requirements are valid from January 12, 2028 [15].

Experts consider these limits too high to ensure long-term protection (also against cross-contamination) and the implementation period too long. Concerning PFAS exposure (e.g. through Food or water), the European Food Safety Authority (EFSA) has set a tolerable weekly dose of only 0.0044 µg/kg body weight per week for the sum of

four representatives of PFAS (in 2020). According to those limits, the drinking water limit should be set to 0.0022 µg/L [5, 12].

Other countries have set stricter values. Denmark, for example, has set the maximum PFAS content in water at 0.0022 µg/L [5].

The problem with restricting individual substances in the group is that manufacturers continue to release different and new types of PFASs into the environment, the effects of which are not known. This is why Germany, the Netherlands, Denmark, Norway and Sweden are working together to further restrict the entire PFAS substance group. The proposal was published by the European Chemicals Agency ECHA in February 2023 and is now going through the legal process of the ECHA restriction procedure [5, 13, 16]. This approach has met with great resistance from parts of the industry [17].

It is necessary to drastically restrict PFAS in the environment and to exclude the spread of new substances from the PFAS group that could prove harmful in future research. To ensure the future safety and cleanliness of our drinking water and to protect the health of the environment, and all living things.

Further reading:

General understanding of PFAS and their effects:

German Environment Agency 2020 PFAS Report

https://www.umweltbundesamt.de/sites/default/files/medien/2546/publikationen/20092_2_uba_sp_1-2020_eng-web_0.pdf

Brunn, et al. 2023 - Environmental Sciences Europe.

<https://doi.org/10.1186/s12302-023-00721-8>

More about the how PFAS effects human health:

Per- and Polyfluoroalkyl Substance Toxicity and Human Health Review: Current State of Knowledge and Strategies for Informing Future Research

<https://setac.onlinelibrary.wiley.com/doi/full/10.1002/etc.4890>

Status of PFAS legislation around the world:

Global Regulations Around PFAS: The Past, the Present and the Future

https://icrl.lexxion.eu/data/article/18898/pdf/icrl_2023_01-005.pdf

The Forever Pollution Project

a collaboration of journalists and media from across Europe, unveiling the scale and character of the pollution with PFAS

<https://foreverpollution.eu/>

PFAS-Free Products

Brands, products and retailers that are PFAS proclaimed free - hosted by Fidra

<https://www.pfasfree.org.uk/pfas-free-products>

Manifesto for an urgent ban of 'forever chemicals' PFAS

Demands of European civil society organisations for EU Member States and the Commission to ban all PFAS in consumer products by 2025 and to have a complete ban by 2030.

<https://banpfasmanifesto.org/en/>

RIWA-Rijn Annual Report 2022

Annual report of the association of drinking water suppliers using surface water from the Rhine, with special attention to PFASs

<https://www.riwa-rijn.org/en/news/riwa-rijn-water-quality-of-the-rhine-falls-short-of-targets/>

Innovate beyond PFAS

Editorial summarizing of some key issues related to PFAS

<https://www.science.org/doi/10.1126/science.adj7475>

Briefing paper: tackling PFAS in drinking water

Culmination of extensive research on PFAS ('forever chemicals') pollution across 20 European countries, and specifically the effects of these substances in drinking water and food.

<https://eeb.org/library/briefing-paper-tackling-pfas-in-drinking-water/>

Sources

- [1] Bundesinstitut für Risikobewertung: Gekommen, um zu bleiben: Per- und polyfluorierte Alkylsubstanzen (PFAS) in Lebensmitteln und der Umwelt.
https://www.bfr.bund.de/de/gekommen_um_zu_bleiben_per_und_polyfluorierte_alkylsubstanzen_pf_as_in_lebensmitteln_und_der_umwelt-242936.html (last visited 28.09.2023)
- [1a] Glüge, J., Scheringer, M., Cousins, I. T., DeWitt, J. C., Goldenman, G., Herzke, D., Lohmann, R., Ng, C., Trier, X. & Wang, Z. (2020). An overview of the uses of per-and polyfluoroalkyl substances (PFAS). *Environmental Science: Processes & Impacts*, 22(12), <https://doi.org/10.1039/D0EM00291G>
- [2] German Environment Agency. (2020, January): Pfas - Umweltbundesamt.
https://www.umweltbundesamt.de/sites/default/files/medien/2546/publikationen/uba_sp_pfas_web_0.pdf
https://www.umweltbundesamt.de/sites/default/files/medien/2546/publikationen/200922_uba_sp_1-2020_eng-web_0.pdf
- [3] Abunada, Z., Alazaiza, M. Y., & Bashir, M. J. (2020): An overview of per- and polyfluoroalkyl substances (PFAS) in the environment: Source, fate, risk and regulations. *Water*, 12(12), 3590.
<https://doi.org/10.3390/w12123590>
- [4] Nicole M. DeLuca, Jeffrey M. Minucci, Ashley Mullikin, Rachel Slover, Elaine A. Cohen Hubal (2022): Human exposure pathways to poly- and perfluoroalkyl substances (PFAS) from indoor media: A systematic review, *Environment International*, Volume 162. <https://doi.org/10.1016/j.envint.2022.107149>
- [5] Brunn, H., Arnold, G., Körner, W., Rippen, G., Steinhäuser, K. G., & Valentin, I. (2023). Pfas: Forever chemicals—persistent, bioaccumulative and mobile. reviewing the status and the need for their phase out and remediation of contaminated sites. *Environmental Sciences Europe*, 35(1).
<https://doi.org/10.1186/s12302-023-00721-8>
- [6] Domingo, J. L., & Nadal, M. (2019). Human exposure to per- and polyfluoroalkyl substances (PFAS) through drinking water: A review of the recent scientific literature. *Environmental Research*, 177, 108648.
<https://doi.org/10.1016/j.envres.2019.108648>
- [7] Fraunhofer-Institut für Grenzflächen- und Bioverfahrenstechnik IGB (18.07.2023): PFAS-kontaminiertes Wasser wird wieder sauber – erfolgversprechendes und umweltschonendes Verfahren entwickelt. Pressemitteilung.
<https://www.igb.fraunhofer.de/de/presse-medien/presseinformationen/2023/pfas-kontaminiertes-wasser-wird-wieder-sauber-erfolgversprechendes-und-umweltschonendes-verfahren-entwickelt.html> (last visited 28.09.2023)
- [8] The Forever Pollution Project: Journalists tracking PFAS across Europe. <https://foreverpollution.eu/> (last visited 28.09.2023)

[9] Fenton, S.E., Ducatman, A., Boobis, A., DeWitt, J.C., Lau, C., Ng, C., Smith, J.S. and Roberts, S.M. (2021): Per-and Polyfluoroalkyl Substance Toxicity and Human Health Review: Current State of Knowledge and Strategies for Informing Future Research. *Environ Toxicol Chem*, 40: 606-630. <https://doi.org/10.1002/etc.4890>

[10] Jiuyi Li, Jing Sun, Pengyang Li (2022) Exposure routes, bioaccumulation and toxic effects of per- and polyfluoroalkyl substances (PFASs) on plants: A critical review, *Environment International*, Volume 158, <https://doi.org/10.1016/j.envint.2021.106891>

[11] HBM4EU: per-polyfluorinated-compounds <https://www.hbm4eu.eu/hbm4eu-substances/per-polyfluorinated-compounds/> (last visited 28.09.2023)

[12] EFSA CONTAM Panel (EFSA Panel on Contaminants in the Food Chain), Schrenk, D, Bignami, M, Bodin, L, Chipman, JK, del Mazo, J, Grasl-Kraupp, B, Hogstrand, C, Hoogenboom, LR, Leblanc, J-C, Nebbia, CS, Nielsen, E, Ntzani, E, Petersen, A, Sand, S, Vleminckx, C, Wallace, H, Barregård, L, Ceccatelli, S, Cravedi, J-P, Halldorsson, TI, Haug, LS, Johansson, N, Knutsen, HK, Rose, M, Roudot, A-C, Van Loveren, H, Vollmer, G, Mackay, K, Riolo, F and Schwerdtle, T, 2020. Scientific Opinion on the risk to human health related to the presence of perfluoroalkyl substances in food. *EFSA Journal* 2020;18(9):6223, 391 pp. <https://doi.org/10.2903/j.efsa.2020.6223>

[13] Thomas, T. , Malek, A. , Arokianathar, J. , Haddad, E. , & Matthew, J. (2023) Global Regulations Around PFAS: The Past, the Present and the Future *International Chemical Regulatory and Law Review Jahrgang 6, Ausgabe 1* pp. 3 - 17 <https://icrl.lexxion.eu/article/icrl/2023/1/4>

[14] EU Drinking Water Directive (December 2020) <https://eur-lex.europa.eu/eli/dir/2020/2184/oj> (last visited 28.09.2023)

[15] Trinkwasserverordnung Verordnung über die Qualität von Wasser für den menschlichen Gebrauch (Stand Juni 2023) https://www.gesetze-im-internet.de/trinkvw_2023/ (last visited 28.09.2023)

[16] ECHA Consultation: Restriction on the manufacture, placing on the market and use of PFASs. <https://echa.europa.eu/de/restrictions-under-consideration/-/substance-rev/72301/term> (last visited 28.09.2023)

[17] Corporate Europe Observatory (CEO) (July 202): PFAS are forever? How the chemical industry is fighting back against regulation <https://corporateeurope.org/en/pfas-are-forever>